



art. 0075


saracinesca a stantuffo a 2 flange

stem gate valve with 2 flanges

vanne à piston avec 2 brides

Kolbenschieber mit 2 Flanschen

tajadera c/ pistón con doble brida



Ø"	Codice / Code	Ø1	h	H	L	L1	d	I	F	gr
6"	ARZO 0075 150 000	145	324	400	180	107,5	13	150	90	7.150


Senza asta / Without stem

Ø"	Codice / Code	gr
6"	ARZO 0075 150 SMO	6.200




Con cilindro art. 0500 / With cylinder item 0500

Ø"	Codice / Code	h	H	gr
6"	ARZO 0075 150 500	323	757	9.790




Con cilindro art. 0510 / With cylinder item 0510

Ø"	Codice / Code	h	H	gr
6"	ARZO 0075 150 510	323	711	13.020




Con cilindro art. 0550 / With cylinder item 0550

Ø"	Codice / Code	h	H	gr
6"	ARZO 0075 150 550	323	573	8.360




Con cilindro art. 0570 / With cylinder item 0570

Ø"	Codice / Code	h	H	gr
6"	ARZO 0075 150 570	326	575	9.490




Con cilindro art. 0571 / With cylinder item 0571


Ø"	Codice / Code	h	H	gr
6"	ARZO 0075 150 571	326	575	9.520



Con cilindro art. 0580 / With cylinder item 0580

Ø"	Codice / Code	h	H	gr
6"	ARZO 0075 150 580	325	728	15.970





Condizioni di esercizio

Work conditions

DN	6"
P(Bar)	2,5
P(PSI)	35
T °C	-15 +80

POS.	CODICE / CODE	DENOMINAZIONE	DENOMINATION	MATERIALE	MATERIAL
1	FOZO 0075 150 001	CORPO 6"	BODY 6"	OTTONE UNI EN 1982	UNI EN 1982 BRASS
2	GGUA 0075 150 004	GUARNIZIONE 6"	GASKET 6"	GUAMOTOR	GUAMOTOR
3	FOZO 0070 150 002	CUNEO 6"	GATE 6"	OTTONE UNI EN 1982	UNI EN 1982 BRASS
4	SAZO 0040 100 011	FASCETTA DI BLOCCAGGIO Ø20	LOCKING CLAMP Ø20	ACCIAIO INOX AISI 304	AISI 304 STAINLESS STEEL
5	TOZO 0040 150 003	ASTA 6"	STEM 6"	OTTONE UNI EN 12164	UNI EN 12164 BRASS
6	FOZO 0075 150 005	TESTATA 6"	HEAD 6"	OTTONE UNI EN 1982	UNI EN 1982 BRASS
7	VTAC 0020 100 009	VITE TCEI M8×16	SCREW TCEI M8×16	ACCIAIO INOX AISI 304	AISI 304 STAINLESS STEEL
8	SPZO 0040 100 006	GUARNIZIONE Ø27 × 20 × 8	GASKET Ø27 × 20 × 8	POLIMERO	POLYMER
9	TOZO 0040 100 007	PREMISTOPPA M30×2	NUT M30×2	OTTONE UNI EN 12164	UNI EN 12164 BRASS
10	FOZO 0040 100 008	FORCELLA	FORK	OTTONE UNI EN 1982	UNI EN 1982 BRASS
11	..OR 0020 100 010	OR 225 (Øi 159,5 × 6,99)	O RING 225 (Øi 159,5 × 6,99)	GOMMA NBR 70	NBR 70 RUBBER



art. 0074 8"


saracinesca a stantuffo a 2 flange

stem gate valve with 2 flanges

vanne à piston avec 2 brides

Kolbenschieber mit 2 Flanschen

tajadera c/ pistón con doble brida



Ø"	Codice / Code	Ø	h	H	L	L1	d	l	F	gr
8"	ARZO 0074 200 000	187	356	467	228	138	13	180	112	16.500


Senza asta / Without stem

Ø"	Codice / Code	gr
8"	ARZO 0074 200 SMO	15.270




Con cilindro art. 0500 / With cylinder item 0500

Ø"	Codice / Code	h	H	gr
8"	ARZO 0074 200 500	388	904	19.590




Con cilindro art. 0510 / With cylinder item 0510

Ø"	Codice / Code	h	H	gr
8"	ARZO 0074 200 510	388	829	23.260




Con cilindro art. 0571 / With cylinder item 0571

Ø"	Codice / Code	h	H	gr
8"	ARZO 0074 200 571	399	674	19.000




Con cilindro art. 0550 / With cylinder item 0550

Ø"	Codice / Code	h	H	gr
8"	ARZO 0074 200 550	388	683	17.830




Con cilindro art. 0570 / With cylinder item 0570


Ø"	Codice / Code	h	H	gr
8"	ARZO 0074 200 570	399	674	18.970



Con cilindro art. 0580 / With cylinder item 0580

Ø"	Codice / Code	h	H	gr
8"	ARZO 0074 200 580	399	844	26.460





Condizioni di esercizio
Work conditions

DN	8"
P(Bar)	1,5
P(PSI)	22
T °C	-15 +80

Con cilindro art. 0610 / With cylinder item 0610

Ø"	Codice / Code	H	gr
8"	ARZO 0074 200 610	1025	23.150



Con cilindro art. 0612 / With cylinder item 0612

Ø"	Codice / Code	H	gr
8"	ARZO 0074 200 612	1025	23.150

POS.	CODICE / CODE	DENOMINAZIONE	DENOMINATION	MATERIALE	MATERIAL
1	FOZO 0074 200 001	CORPO 8"	BODY 8"	OTTONE UNI EN 1982	UNI EN 1982 BRASS
2	GGUA 0074 200 004	GUARNIZIONE 8"	GASKET 8"	GUAMOTOR	GUAMOTOR
3	FOZO 0074 200 002	CUNEO 8"	GATE 8"	OTTONE UNI EN 1982	UNI EN 1982 BRASS
4	SAZO 0074 200 011	FASCETTA DI BLOCCAGGIO Ø22	LOCKING CLAMP Ø22	ACCIAIO INOX AISI 304	AISI 304 STAINLESS STEEL
5	TOZO 0074 200 003	ASTA 8"	STEM 8"	OTTONE UNI EN 12164	UNI EN 12164 BRASS
6	FOZO 0074 200 005	TESTATA 8"	HEAD 8"	OTTONE UNI EN 1982	UNI EN 1982 BRASS
7	VTAC 0020 100 009	VITE TCEI M8×16	SCREW TCEI M8×16	ACCIAIO INOX AISI 304	AISI 304 STAINLESS STEEL
8	SPZO 0030 100 006	GUARNIZIONE Ø32 × 22,5 × 8	GASKET Ø32 × 22,5 × 8	POLIMERO	POLYMER
9	TOZO 0074 200 007	PREMISTOPPA M35×2	NUT M35×2	OTTONE UNI EN 12164	UNI EN 12164 BRASS
10	FOZO 0040 100 008	FORCELLA	FORK	OTTONE UNI EN 1982	UNI EN 1982 BRASS
11	..OR 0020 200 010	OR 240 (Øi 202,6 × 6,99)	O RING 240 (Øi 202,6 × 6,99)	GOMMA NBR 70	NBR 70 RUBBER